



cell signaling solutions

Certificate of Analysis

10 Old Barn Road • Lake Placid, NY 12946
Technical Support: T: 800 548-7853 • F: 518 523-4513
email: techserv@upstate.com
Sales Department: T: 800 233-3991 • F: 781 890-7738
Licensing Dept.: 800 310-4659
www.upstate.com

Goat Anti-Rabbit IgG (H+L), Fluorescein conjugate

(goat polyclonal IgG)

Catalog # 12-507

Lot # 25226

Immunogen: Rabbit IgG whole molecule.

Specificity: Recognizes rabbit IgG, both heavy and light chains. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-fluorescein, anti-goat serum, rabbit IgG and rabbit serum.

Species Cross-reactivity: Rabbit.

Absorption Wavelength: 495nm

Emission Wavelength: 528nm

Fluorochrome/Protein Molar Ratio: 3.9

Formulation: 500µg of immunoaffinity purified goat IgG, conjugated to fluorescein in 500µl of 20mM potassium phosphate, pH 7.2, 150mM NaCl, 0.01% sodium azide and 10mg/ml BSA.

Storage and Stability: Stable for 1 year at 4°C from date of shipment. **Once opened, aliquot and freeze at -20°C or below for extended storage. Avoid multiple freeze-thaw cycles.** Dilute only immediately prior to use. Liquid at 4°C.

**FOR RESEARCH USE ONLY
NOT FOR USE IN HUMANS**

Research Applications

Application(s): Suitable for immunomicroscopy and flow cytometry or FACS analysis, as well as other antibody based fluorescent assays requiring lot-to-lot consistency. Optimal antibody dilution should be determined by the researcher.
