

Certificate of Analysis

28820 Single Oak Drive • Temecula, CA 92590
Technical Support: T: 800 437-7500 • F: 800 437-7502
www.millipore.com

ECL Cell Attachment Matrix

(entactin-collagen IV-laminin)

Catalog # 08-110

Lot # DAM1458284

Source: Engelbreth-Holm-Swarm (EHS) mouse tumor.

Use and Handling: Thaw frozen product at 4°C and keep on ice thereafter. Dilute with sterile serum-free medium to approximately 20 µg/ml. Add directly to culture vessels to achieve 5-10 µg/cm². Allow the matrix proteins to adsorb to the vessel for one hour at 37°C or overnight at 4°C prior to adding a cell suspension.

Sterility: This lot of ECL was tested and found negative for the presence of bacteria, fungi and mycoplasma.

Formulation: 5 mg in 5 ml of 0.05 M Tris-HCl, pH 7.4, 0.15 M NaCl. Protein determined by the Bradford dye binding assay using gamma globulin as the standard. Frozen Solution.

Storage and Stability: Stable for 1 year at -20°C from date of shipment. Aliquot to avoid repeated freezing and thawing.

**FOR RESEARCH USE ONLY
NOT FOR USE IN HUMANS**

Quality Control Testing

Cell Adhesion Assay: This lot of ECL was tested at 5 µg/cm² and found to promote neurite outgrowth using PC12 rat pheochromocytoma cells.

IMPORTANT NOTE

Color variations from yellow to dark red may occur in frozen or thawed vials of ECL. These color variations are caused by the interaction of CO₂ with the buffer and phenol red present in the product. Such color variations are normal and do not affect the efficacy of the product.

References:

1. Kleinman, H.K., *et al.*, Biochemistry **25**: 312, 1986.
2. Kleinman, H.K., *et al.*, Biochemistry **21**: 6188, 1982.
3. Hadley, M.A., *et al.*, J. Cell. Biol. **101**: 1511, 1985.
4. Friday, B., *et al.*, J. Cell. Biol. **149**: 657-666, 2001.

Unless otherwise stated in our catalog or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

©2008: Millipore Corporation. All rights reserved. No part of these works may be reproduced in any form without permission in writing.