

MATERIAL SAFETY DATA SHEET

Product: **PIIANP ELISA Kit**

Catalog #: **EZPIIANP-53K**

Composition/Information of Ingredients

<u>Component</u>	<u>Catalog #</u>	<u>Ingredients</u>	<u>See Below</u>
10X Concentrate Wash Buffer	EWB-HRP	Miscellaneous Buffers/Salts ProClin-300	1 2
Assay Buffer	EABPT	Miscellaneous Buffers/Salts Sodium Azide (NaN ₃)	1 2
PIIANP Standard	E8053-K	PIIANP Standard Stock Miscellaneous Buffers/Salts Sodium Azide (NaN ₃)	1 1 2
Quality Controls 1 & 2	E6053-K	PIIANP Standard Stock Miscellaneous Buffers/Salts Sodium Azide (NaN ₃)	1 1 2
Anti-PIIANP Antibody	E1053	Rabbit-anti PIIANP Antibody Miscellaneous Buffers/Salts Sodium Azide (NaN ₃)	1 1 2
Biotin Labeled PIIANP	EBT53	Biotinylated PIIANP Miscellaneous Buffers/Salts Sodium Azide (NaN ₃)	1 1 2
Enzyme Solution	EHRP-3	Streptavidin – Horseradish Peroxidase Conjugate (SA-HRP)	3
Substrate	ESS-TMB2	Ultra-Sensitive TMB	1
Stop Solution	ET-TMB	0.3M HCL	4
Microtiter Plate	EP53	Coated with antibody	1

Hazardous Ingredients:

1. Linco Research is not aware of any hazards for this product.
2. ProClin-300, 0.05% and Sodium Azide, 0.08%: CAS # 26628-22-8. See fire hazard and explosion information below.
3. Streptavidin – Horseradish Peroxidase Conjugate (SA-HRP): CAS #54-64-8. Wear gloves while using this component. Follow emergency first aid procedures.
4. Hydrochloric Acid: This product is generally considered safe; however, all laboratory safety procedures must be followed and gloves and safety glasses must be worn when preparing this material.

Fire Hazard and Explosion Information:

The above listed component contains sodium azide. Sodium azide may react with lead and copper plumbing to form highly explosive metal azides. If discarded into the sink, flush with a large volume of water to prevent azide build-up.

Health Hazard Data:

Appropriate handling of toxic chemicals in laboratories is essential. Periodic review of the safeguards must be ensured. Appropriate emergency procedures and equipment should be in place and their use should be reviewed. Laboratory technicians should be aware of the potential toxicity and rapidity of action, and signs and symptoms of poisoning with this compound.

Emergency and First Aid Procedures:

Ingestion: Obtain immediate medical attention.
Eyes: Immediately flush eyes with water.
Skin: Wash skin with soap and plenty of water.

Spill Procedures:

Spills should be cleaned up by using absorbents and thrown away in the proper receptacles.

Storage and Disposal:

Storage: Store all components at 2-8°C upon arrival. For prolonged storage (>2 weeks) consult the kit protocol accompanying the kit.

Disposal: Observe all federal, state and local environmental regulations.

Protective Equipment:

Ventilation: Provide local exhaust or process enclosure ventilation to meet the published exposure limits.

Clothing and Gloves: Wear appropriate protective clothing and equipment to prevent repeated or prolonged contact with this substance. Protective clothing should meet the requirements for personal protective equipment. This clothing should include a lab coat and protective gloves.

Eye protection should always be worn when working with chemicals.

Disclaimer:

©2007 Millipore Corporation. All rights reserved. The above information is believed to be current and accurate; however, Millipore makes no warranty with respect to such information and assumes no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.